



DEVELOPMENT REGULATIONS FOR THE R-3 ZONE (Multiple-Family Residence Zone)

For projects with only one house on the lot, the R-1 Zone regulations apply.
 For a complete description of all regulations, please see Chapter 153 of the Municipal Code.
 Municipal Code citations are noted in parentheses.

Development Standard	Code Regulation	Notes
General		
Density (153.102)	1 Unit for each 1,742 sq. ft. of net lot area	<i>Round up if 0.9 or more</i>
Lot Coverage	Maximum 60 %	
Minimum Lot Size (Subdivision) (153.102)	10,000 sq. ft. per 70' frontage	<i>Does not apply to condominium</i>
Setbacks		
Front (153.103)	15' + 3' for each story over one	
Side (153.104)	10' (15' for buildings 28' or higher)	<i>Outside open, unenclosed stairs/porches may encroach up to 3 feet; architectural features may encroach up to 1 foot</i>
Street Side (153.104 B)	10'	
Rear (153.105)	20' + 3' for each story over one	<i>Unenclosed, outside stairs may encroach up to 4.5 feet</i>
Detached Accessory Bldg. (153.105 D and 153.126)	Side: 4' and Rear: 5' Over 75' from front property line Less than 50 % of rear yard area	
Unit Size and Building Height		
Minimum Unit Size (153.107)	1 Bedroom = 880 sq. ft. minimum 1 Bedroom + Den or 2 Bedrooms = 1,100 sq. ft. 2 Bedroom + Den or 3 Bedrooms = 1,320 sq. ft. Bedroom Not Including Closet = 125 sq. ft.	
Disabled Accessibility (SB 1025)	At least one bathroom must be accessible on the entry level and all rooms within the unit on the primary entry level shall be accessible.	<i>Applicable only for buildings with 4 units or more and/or at least three rental apartment dwelling units in buildings without an elevator</i>
Building Height (153.101)	3 Stories or 35 Feet	<i>3 Stories shall comply with ADA elevator requirements.</i>
Parking		
Resident (153.220)	2 per unit in garage with garage door plus 60 cubic feet of storage	<i>20' x 20' interior dimension</i>
Guest (153.220)	1 per 3 units 30 % compact (8' x 15') - Regular size: 9' x 20'	<i>Compact spaces not allowed on condominiums unless approved by CD Director (153.117); Spaces must be a minimum of 9 feet from a dwelling.</i>
Disabled Accessibility (2001 CBC-Section 1118A.4.2 2001 CBC-Section 1129B)	1 van accessible guest space for every 25 units or every 8 regular handicap spaces; accessibility route must be clearly identified to the primary entry of the unit	<i>Required in addition to guest parking; subterranean ADA parking requires accessibility routes to the unit, i.e. man-lifts</i>

DEVELOPMENT REGULATIONS FOR THE R-3 ZONE

Building Separation		
Main to Main (153.106)	20'	<i>Uncovered walkway connections, patio covers, architectural features shall not be construed as an extension of a building.</i>
Main to Accessory Accessory to Accessory (153.106)	6'	

Open Space	
400 sq. ft. for each bedroom (153.115)	
Calculation of Open Space (153.115): <ul style="list-style-type: none"> • Up to 100% rear yard • Up to 100% side yards ONLY IF contiguous to a 20 foot by 20 foot open space area • Private areas may account for a maximum of 33% of the total • Enclosed structures (e.g. swimming pools, volleyball court) may account for a maximum of 10% of the total 	
Areas not included in calculation of Open Space: <ul style="list-style-type: none"> • Front yard • Side yards not contiguous to a 20 foot by 20 foot open space • Patios with a minimum of 6' or less than 60 square feet • Balconies that are 5' or less than 50 square feet 	

Driveway Width	
2-6 Units (153.221)	12' wide driveway
7 or more Units (153.221)	20' wide driveway
More than 200' long (153.221)	Two 12' wide driveways OR One 20' wide driveway

Landscaping	
(153.133) 4 % of uncovered parking areas (including driveway and vehicle areas) with minimum 3' wide planters:	
<ul style="list-style-type: none"> • Trees - 15 gallons min. • Shrubs - 5 gallons min. • Ground cover and vines from pots or rooted cuttings from flats- 12"-18" on center 	

Trash Enclosures	
(153.131) Rubbish storage and collection areas are required and must comply with the following:	
<ul style="list-style-type: none"> • Must be accessible to a public street or alley and must not occupy or obstruct required parking or access. • One trash enclosure per every 12 dwelling units. • Interior dimensions must be 7'6" by 5'6" for a single enclosure, and 15' by 5'6" or 9' by 9' for a double. • Must be enclosed by 6-foot masonry wall with opaque gate. • Must have concrete floor, paved access to street or alley, and bumpers for bin wheels or back wall. • May not be located within 25 feet of a window or an exterior door of any dwelling unit (153.117). 	

Acoustical Analysis	
If located within 1000' of I-10 or within 500' of Railroad or within 200' of Arterial (153.110)	Applicant must submit an acoustical analysis documenting existing CNEs and explaining how noise levels will be reduced to 45 dB within the interior living space of all dwelling units.